

# **Safety Data Sheet**

According to Regulation (EC) No 1907/2006

# **TASKI Sprint 200 conc E1a**

**Revision:** 2024-08-07 **Version:** 06.6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Sprint 200 conc E1a

UFI: HX65-C0AR-8008-87GF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Hard surface cleaner.

Floor cleaner.

For professional use only.

Uses advised against: Uses other than those identified are not recommended.

 $\mbox{SWED}$  - Sector-specific worker exposure description :  $\mbox{AISE\_SWED\_PW}\_8a\_2$ 

AISE\_SWED\_PW\_8a\_2 AISE\_SWED\_PW\_4\_1 AISE\_SWED\_PW\_10\_1 AISE\_SWED\_PW\_11\_1 AISE\_SWED\_PW\_19\_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

### **Contact details**

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

#### 2.2 Label elements



Signal word: Warning.

#### Hazard statements:

H319 - Causes serious eye irritation.

#### 2.3 Other hazards

No other hazards known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH  | Classification | Notes | Weight  |
|---------------|-----------|------------|--------|----------------|-------|---------|
|               |           |            | number |                |       | percent |

| ethanol   | 200-578-6              | 64-17-5     |      | Flammable liquids, Category 2 (H225)<br>Eye irritation, Category 2 (H319)   | 10-20  |
|---|------------------------|-------------|------|---|--------|
| sulphonic acids, C14-17-sec-alkane,<br>sodium salts   | 307-055-2              | 97489-15-1  | 4-20 | Acute toxicity - Oral, Category 4 (H302)<br>Skin irritation, Category 2 (H315)<br>Serious eye damage, Category 1 (H318)<br>Chronic aquatic toxicity, Category 3 (H412)  | 3-10   |
| alkyl alcohol alkoxylate  | [4]                    | 196823-11-7 | [4]  | Eye irritation, Category 2 (H319)   | 3-10   |
| 5-chloro-2-methyl-2H-isothiazol-3-one<br>[EC No 247-500-7] and<br>2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) | 220-239-6<br>247-500-7 | 55965-84-9  |      | Acute toxicity - Dermal, Category 2 (H310) Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 3 (H301) Skin corrosion, Category 1C (H314) EUH071 Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=100 (H400) Chronic aquatic toxicity, Category 1 M=100 (H410) | < 0.01 |

#### Specific concentration limits

- sulphonic acids, C14-17-sec-alkane, sodium salts:
   Serious eye damage, Category 1 (H318) >= 15% > Eye irritation, Category 2 (H319) >= 10%
  5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1):
- Skin sensitisation, Category 1 (H317) >= 0.0015%
  Serious eye damage, Category 1 (H318) >= 0.6% > Eye irritation, Category 2 (H319) >= 0.06%
- Skin corrosion, Category 1C (H314) >= 0.6% > Skin irritation, Category 2 (H315) >= 0.06%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice Skin contact:

or attention.

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse Eye contact:

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If irritation occurs and persists, get medical attention Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. Skin contact: No known effects or symptoms in normal use.

Causes severe irritation. Eye contact:

Ingestion: No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Ingestion:

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

# SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

#### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

### SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | UK - Long term<br>value(s)         | UK - Short term<br>value(s)        |
|---------------|------------------------------------|------------------------------------|
| ethanol       | 1000 ppm<br>1920 mg/m <sup>3</sup> | 3000 ppm<br>5760 mg/m <sup>3</sup> |

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL** and **PNEC** values

**Human exposure** 

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s)  | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| ethanol  | -                          | -                             | -                         | 87                           |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | -                          | -                             | -                         | 7.1                          |
| alkyl alcohol alkoxylate   | No data available          | No data available             | No data available         | No data available            |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -                          | -                             | -                         | -                            |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s)  | Short term - Local effects  | Short term - Systemic effects (mg/kg bw) | Long term - Local effects   | Long term - Systemic effects (mg/kg bw) |
|--|-----------------------------|--|-----------------------------|---|
| ethanol  | -                           | -  | -                           | 343                                     |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | 2.8 mg/cm <sup>2</sup> skin | -  | 2.8 mg/cm <sup>2</sup> skin | 5                                       |
| alkyl alcohol alkoxylate   | No data available           | No data available                        | No data available           | No data available                       |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -                           | -  | -                           | -                                       |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s)                                    | Short term - Local effects  | Short term - Systemic effects (mg/kg bw) | Long term - Local effects   | Long term - Systemic effects (mg/kg bw) |
|--|-----------------------------|--|-----------------------------|---|
| ethanol  | -                           | -  | -                           | 206                                     |
| sulphonic acids, C14-17-sec-alkane, sodium salts | 2.8 mg/cm <sup>2</sup> skin | -  | 2.8 mg/cm <sup>2</sup> skin | 3.57                                    |
| alkyl alcohol alkoxylate                         | No data available           | No data available                        | No data available           | No data available                       |

| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | - | - | - | - |
|---|---|---|---|---|
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)        |   |   |   |   |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s)  | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| ethanol  | 1900                       | -                             | -                         | 950                          |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | -                          | -                             | -                         | 35                           |
| alkyl alcohol alkoxylate   | No data available          | No data available             | No data available         | No data available            |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -                          | -                             | -                         | -                            |

DNEL/DMEL inhalatory exposure - Consumer (mg/m3)

| Ingredient(s)  | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| ethanol  | 950                        | -                             | -                         | 114                          |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | -                          | -                             | -                         | 12.4                         |
| alkyl alcohol alkoxylate   | No data available          | No data available             | No data available         | No data available            |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -                          | -                             | -                         | -                            |

#### **Environmental exposure**

Environmental exposure - PNEC

| Ingredient(s)  | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--|-----------------------------|------------------------------|---------------------|-------------------------------|
| ethanol  | 0.96                        | 0.79                         | 2.75                | 580                           |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | 0.04                        | 0.004                        | 0.06                | 600                           |
| alkyl alcohol alkoxylate   | No data available           | No data available            | No data available   | No data available             |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -                           | -                            | -                   | -                             |

Environmental exposure - PNEC, continued

| Ingredient(s)  | Sediment, freshwater (mg/kg) | Sediment, marine<br>(mg/kg) | Soil (mg/kg)      | Air (mg/m³)       |
|--|------------------------------|-----------------------------|-------------------|-------------------|
| ethanol  | 3.6                          | 2.9                         | 0.63              | -                 |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | 9.4                          | 0.94                        | 9.4               | -                 |
| alkyl alcohol alkoxylate   | No data available            | No data available           | No data available | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -                            | -                           | -                 | -                 |

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

**Appropriate engineering controls:** No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

|                              | SWED - Sector-specific      | LCS | PROC    | Duration | ERC   |
|------------------------------|-----------------------------|-----|---------|----------|-------|
|                              | worker exposure description |     |         | (min)    |       |
| Manual transfer and dilution | AISE_SWED_PW_8a_2           | PW  | PROC 8a | 60       | ERC8a |

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection: No special requirements under normal use conditions. Respiratory protection: No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 2

Appropriate engineering controls: Provide a good standard of general ventilation.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

|   | SWED              | LCS | PROC    | Duration | ERC   |
|---|-------------------|-----|---------|----------|-------|
|   |                   |     |         | (min)    |       |
| Machine application                               | AISE_SWED_PW_10_1 | PW  | PROC 10 | 480      | ERC8a |
| Manual application by brushing, wiping or mopping |                   |     |         |          |       |
| Spray application                                 | AISE_SWED_PW_11_1 | PW  | PROC 11 | 60       | ERC8a |
| Trigger spray application                         |                   |     |         |          |       |
| Manual application                                | AISE_SWED_PW_19_1 | PW  | PROC 19 | 480      | ERC8a |
| Automatic application in a dedicated system       | AISE_SWED_PW_4_1  | PW  | PROC 4  | 480      | ERC8a |

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

**Body protection:** No special requirements under normal use conditions.

Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available.

**Environmental exposure controls:** No special requirements under normal use conditions.

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear, Blue Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s)  | Value<br>(°C)     | Method           | Atmospheric pressure (hPa) |
|--|-------------------|------------------|----------------------------|
| ethanol  | 78.4              | Method not given |                            |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | > 100             | Method not given |                            |
| alkyl alcohol alkoxylate   | No data available |                  |                            |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |                  |                            |

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 37 °C Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)

Weight of evidence Weight of evidence

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

**Decomposition temperature:** Not applicable.

**pH**: ≈ 6 (neat) ISO 4316 ISO 4316 **Dilution pH:** ≈ 7 (2 %)

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

| Substance data, solubility in water  |                   |                  |                     |
|--|-------------------|------------------|---------------------|
| Ingredient(s)  | Value<br>(g/l)    | Method           | Temperature<br>(°C) |
| ethanol  | No data available |                  |                     |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | 500               | Method not given | 25                  |
| alkyl alcohol alkoxylate   | No data available |                  |                     |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |                  |                     |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

| Ingredient(s)  | Value<br>(Pa)     | Method             | Temperature<br>(°C) |
|--|-------------------|--------------------|---------------------|
| ethanol  | 5800              | Method not given   | , ,                 |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | 3000              | Method not given   | 25                  |
| alkyl alcohol alkoxylate   | No data available |                    |                     |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | 2.2               | Weight of Evidence | 25                  |

Method / remark

OECD 109 (EU A.3)

Relative vapour density: No data available.

Not relevant to classification of this product

Particle characteristics: No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

Relative density: ≈ 0.99 (20 °C)

9.2.2 Other safety characteristics

No other relevant information available.

# SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

None known under normal use conditions.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

# Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

# Eye irritation and corrosivity

Result: Eye irritant 2 Method: Bridging

Substance data, where relevant and available, are listed below:.

#### **Acute toxicity**

Acute oral toxicity

| Ingredient(s)   | Endpoint | Value<br>(mg/kg) | Species | Method                 | Exposure time (h) | ATE Oral<br>(mg/kg) |
|---|----------|------------------|---------|------------------------|-------------------|---------------------|
| ethanol   | LD 50    | 5000             | Rat     | OECD 401 (EU B.1)      |                   | Not established     |
| sulphonic acids, C14-17-sec-alkane, sodium salts            | LD 50    | > 500-2000       | Rat     | OECD 401 (EU B.1)      |                   | 500                 |
| alkyl alcohol alkoxylate                                    | LD 50    | > 2000-5000      | Rat     | OECD 423 (EU B.1 tris) |                   | Not established     |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | LD 50    | 64               | Rat     | Method not given       |                   | 64                  |

| - 4 |  |  |  |  |
|-----|--|--|--|--|
|     | 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) |  |  |  |
|     | 2-metry-21-30thazor-3-one [LO NO 220-233-0] (3.1)    |  |  |  |

Acute dermal toxicity

| Ingredient(s)  | Endpoint | Value<br>(mg/kg)     | Species | Method             | Exposure time (h) | ATE Dermal<br>(mg/kg) |
|--|----------|----------------------|---------|--------------------|-------------------|-----------------------|
| ethanol  | LD 50    | > 10000              | Rabbit  | OECD 402 (EU B.3)  |                   | Not established       |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | LD 50    | > 2000               | Mouse   | Weight of evidence |                   | Not established       |
| alkyl alcohol alkoxylate   |          | No data<br>available |         |                    |                   | Not established       |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50    | 87.12                | Rabbit  | Method not given   |                   | 87.12                 |

Acute inhalative toxicity

| Ingredient(s)  | Endpoint | Value<br>(mg/l)      | Species | Method             | Exposure time (h) |
|--|----------|----------------------|---------|--------------------|-------------------|
| ethanol  | LC 50    | > 1800               | Rat     | Non guideline test | 4                 |
| sulphonic acids, C14-17-sec-alkane, sodium salts   |          | No data<br>available |         |                    |                   |
| alkyl alcohol alkoxylate   |          | No data<br>available |         |                    |                   |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LC 50    | 0.33                 | Rat     |                    |                   |

Acute inhalative toxicity, continued

| Ingredient(s)  | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation,<br>vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|--|-------------------------------|-------------------------------|------------------------------------|------------------------------|
| ethanol  | Not established               | Not established               | Not established                    | Not established              |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | Not established               | Not established               | Not established                    | Not established              |
| alkyl alcohol alkoxylate   | Not established               | Not established               | Not established                    | Not established              |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Not established               | 0.33                          | Not established                    | Not established              |

Irritation and corrosivity
Skin irritation and corrosivity

| Ingredient(s)  | Result        | Species | Method                           | Exposure time |
|--|---------------|---------|----------------------------------|---------------|
| ethanol  | Not irritant  | Rabbit  | OECD 404 (EU B.4)                |               |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | Irritant      | Rabbit  | OECD 404 (EU B.4)<br>Read across |               |
| alkyl alcohol alkoxylate   | Mild irritant | Rabbit  | OECD 404 (EU B.4)                |               |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Corrosive     |         | Method not given                 |               |

Eye irritation and corrosivity

| Ingredient(s)  | Result        | Species | Method            | Exposure time |
|--|---------------|---------|-------------------|---------------|
| ethanol  | Irritant      | Rabbit  | OECD 405 (EU B.5) |               |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | Severe damage |         | OECD 405 (EU B.5) |               |
| alkyl alcohol alkoxylate   | Irritant      | Rabbit  | OECD 405 (EU B.5) |               |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Severe damage |         | Method not given  |               |

Respiratory tract irritation and corrosivity

| Ingredient(s)  | Result            | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| ethanol  | No data available |         |        |               |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | No data available |         |        |               |
| alkyl alcohol alkoxylate   | No data available |         |        |               |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |         |        |               |

**Sensitisation**Sensitisation by skin contact

| Ingredient(s)  | Result            | Species    | Method  | Exposure time (h) |
|--|-------------------|------------|---|-------------------|
| ethanol  | Not sensitising   |            |   |                   |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | Not sensitising   | Guinea pig | OECD 406 (EU B.6) /<br>GPMT Read across         |                   |
| alkyl alcohol alkoxylate   | No data available |            |   |                   |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Sensitising       | Guinea pig | Method not given<br>OECD 406 (EU B.6) /<br>GPMT |                   |

Sensitisation by inhalation

| Ingredient(s) | Result   | Species   | Method      | Exposure time   |
|---------------|----------|-----------|-------------|-----------------|
| mgrodioni(o)  | Ittoouit | _ Op00.00 | i iiiotiiou | Expodulo tillio |

| ethanol  | No data available |
|--|-------------------|
| sulphonic acids, C14-17-sec-alkane, sodium salts   | No data available |
| alkyl alcohol alkoxylate   | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s)  | Result (in-vitro)                                   | Method<br>(in-vitro) | Result (in-vivo)                                    | Method<br>(in-vivo) |
|--|---|----------------------|---|---------------------|
| ethanol  | No data available                                   |                      | No data available                                   |                     |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | No evidence for mutagenicity, negative test results |                      | No evidence for mutagenicity, negative test results | Method not given    |
| alkyl alcohol alkoxylate   | No data available                                   |                      | No data available                                   |                     |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for mutagenicity                        | Method not<br>given  | No data available                                   |                     |

Carcinogenicity

| Carcinogenicity   |  |
|---|--|
| Ingredient(s)   | Effect   |
| ethanol   | No data available                                      |
| sulphonic acids, C14-17-sec-alkane, sodium salts  | No evidence for carcinogenicity, negative test results |
| alkyl alcohol alkoxylate  | No data available                                      |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and<br>2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for carcinogenicity, negative test results |

Toxicity for reproduction

| Ingredient(s)   | Endpoint | Specific effect | Value<br>(mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported  |
|---|----------|-----------------|-----------------------|---------|--------|---------------|---|
| ethanol   |          |                 | No data available     |         |        |               |   |
| sulphonic acids,<br>C14-17-sec-alkane,<br>sodium salts  |          |                 | No data<br>available  |         |        |               | No evidence for reproductive toxicity                                     |
| alkyl alcohol alkoxylate  |          |                 | No data available     |         |        |               |   |
| 5-chloro-2-methyl-2H-is<br>othiazol-3-one [EC No<br>247-500-7] and<br>2-methyl-2H-isothiazol-<br>3-one [EC No<br>220-239-6] (3:1) |          |                 | No data<br>available  |         |        |               | No evidence for reproductive toxicity No evidence for teratogenic effects |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s)                                      | Endpoint | Value        | Species | Method     |             |          |
|--|----------|--------------|---------|------------|-------------|----------|
|  |          | (mg/kg bw/d) |         |            | time (days) | affected |
| ethanol  |          | No data      |         |            |             |          |
|  |          | available    |         |            |             |          |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | NOAEL    | 200          | Rat     | Method not |             |          |
| ·  |          |              |         | given      |             |          |
| alkyl alcohol alkoxylate                           |          | No data      |         |            |             |          |
|  |          | available    |         |            |             |          |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No       |          | No data      |         |            |             |          |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No |          | available    |         |            |             |          |
| 220-239-6] (3:1)                                   | 1        |              |         |            |             |          |

Sub-chronic dermal toxicity

| Ingredient(s)                                      | Endpoint | Value        | Species | Method |             | Specific effects and organs |
|--|----------|--------------|---------|--------|-------------|-----------------------------|
|  |          | (mg/kg bw/d) |         |        | time (days) | affected                    |
| ethanol  |          | No data      |         |        |             |                             |
|  |          | available    |         |        |             |                             |
| sulphonic acids, C14-17-sec-alkane, sodium salts   |          | No data      |         |        |             |                             |
|  |          | available    |         |        |             |                             |
| alkyl alcohol alkoxylate                           |          | No data      |         |        |             |                             |
|  |          | available    |         |        |             |                             |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No       |          | No data      |         |        |             |                             |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No |          | available    |         |        |             |                             |
| 220-239-6] (3:1)                                   |          |              |         |        |             |                             |

Sub-chronic inhalation toxicity

| oub critorile irrialation toxicity |          |              |         |        |             |                             |
|------------------------------------|----------|--------------|---------|--------|-------------|-----------------------------|
| Ingredient(s)                      | Endpoint | Value        | Species | Method | Exposure    | Specific effects and organs |
|                                    |          | (mg/kg bw/d) |         |        | time (days) | affected                    |
| ethanol                            |          | No data      |         |        |             |                             |
|                                    | ĺ        | available    |         |        |             |                             |

| sulphonic acids, C14-17-sec-alkane, sodium salts   | No data<br>available |  |  |
|--|----------------------|--|--|
| alkyl alcohol alkoxylate   | No data available    |  |  |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No<br>247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) | No data<br>available |  |  |

Chronic toxicity

| Ingredient(s)   | Exposure | Endpoint | Value                | Species | Method           | Exposure | Specific effects and | Remark |
|---|----------|----------|----------------------|---------|------------------|----------|----------------------|--------|
|   | route    |          | (mg/kg bw/d)         |         |                  | time     | organs affected      |        |
| ethanol   |          |          | No data available    |         |                  |          |                      |        |
| sulphonic acids,<br>C14-17-sec-alkane,<br>sodium salts  | Oral     | NOAEL    | > 4000               | Rat     | Method not given |          |                      |        |
| alkyl alcohol alkoxylate  |          |          | No data available    |         |                  |          |                      |        |
| 5-chloro-2-methyl-2H-is<br>othiazol-3-one [EC No<br>247-500-7] and<br>2-methyl-2H-isothiazol-<br>3-one [EC No<br>220-239-6] (3:1) |          |          | No data<br>available |         |                  |          |                      |        |

STOT-single exposure

| Ingredient(s)  | Affected organ(s) |
|--|-------------------|
| ethanol  | No data available |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | No data available |
| alkyl alcohol alkoxylate   | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |

STOT-repeated exposure

| Ingredient(s)  | Affected organ(s) |
|--|-------------------|
| ethanol  | No data available |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | No data available |
| alkyl alcohol alkoxylate   | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |

#### **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

# Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

# 11.2 Information on other hazards

**11.2.1 Endocrine disrupting properties** Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

# Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s)   | Endpoint | Value<br>(mg/l) | Species              | Method            | Exposure time (h) |
|---|----------|-----------------|----------------------|-------------------|-------------------|
| ethanol   | LC 50    | 8150            | Alburnus<br>alburnus | Method not given  | 96                |
| sulphonic acids, C14-17-sec-alkane, sodium salts            | LC 50    | 1 - 10          | Brachydanio<br>rerio | OECD 203, static  | 96                |
| alkyl alcohol alkoxylate                                    | LC 50    | > 1-10          | Brachydanio<br>rerio | OECD 203 (EU C.1) | 96                |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | LC 50    | 0.28            | Lepomis              | OECD 203 (EU C.1) | 96                |

| ſ | 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) |  | macrochirus |  |
|---|--|--|-------------|--|

Aquatic short-term toxicity - crustacea

| Ingredient(s)   | Endpoint | Value  | Species       | Method            | Exposure |
|---|----------|--------|---------------|-------------------|----------|
|   |          | (mg/l) |               |                   | time (h) |
| ethanol   | EC 50    | 5012   | Daphnia       | Method not given  | 48       |
|   |          |        | magna Straus  |                   |          |
| sulphonic acids, C14-17-sec-alkane, sodium salts            | EC 50    | 9.81   | Daphnia       | OECD 202 (EU C.2) | 48       |
|   |          |        | magna Straus  | , ,               |          |
| alkyl alcohol alkoxylate                                    | EC 50    | > 1-10 | Not specified | 79/831/EEC        | 48       |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | EC 50    | 0.126  | Daphnia       | OECD 202 (EU C.2) | 48       |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)        |          |        | magna Straus  |                   |          |

Aquatic short-term toxicity - algae

| Ingredient(s)  | Endpoint | Value<br>(mg/l) | Species                                     | Method            | Exposure time (h) |
|--|----------|-----------------|---|-------------------|-------------------|
| ethanol  | EC 50    | 675             | Scenedesmus<br>quadricauda<br>Not specified | Method not given  | 72                |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | EC 50    | > 61            | Pseudokirchner<br>iella<br>subcapitata      | OECD 201 (EU C.3) | 72                |
| alkyl alcohol alkoxylate   | EC 50    | > 10-100        | Not specified                               | DIN 38412, Part 9 | 72                |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 50    | 0.003           | Pseudokirchner<br>iella<br>subcapitata      | OECD 201 (EU C.3) | 72                |

Aquatic short-term toxicity - marine species

| Ingredient(s)  | Endpoint | Value<br>(mg/l)      | Species | Method | Exposure time (days) |
|--|----------|----------------------|---------|--------|----------------------|
| ethanol  |          | No data<br>available |         |        |                      |
| sulphonic acids, C14-17-sec-alkane, sodium salts   |          | No data<br>available |         |        |                      |
| alkyl alcohol alkoxylate   |          | No data<br>available |         |        |                      |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) |          | No data<br>available |         |        |                      |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s)  | Endpoint | Value<br>(mg/l) | Inoculum           | Method             | Exposure time   |
|--|----------|-----------------|--------------------|--------------------|-----------------|
| ethanol  | EC o     | 6500            | Pseudomonas putida | Method not given   | 16 hour(s)      |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | NOEC     | 600             | Pseudomonas putida | DIN 38412 / Part 8 | 16 hour(s)      |
| alkyl alcohol alkoxylate   | EC 20    | > 10            | Activated sludge   | OECD 209           | 30<br>minute(s) |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 20    | 0.97            | Activated sludge   | OECD 209           | 3 hour(s)       |

# Aquatic long-term toxicity Aquatic long-term toxicity - fish

| Ingredient(s)  | Endpoint | Value<br>(mg/l)   | Species                | Method   | Exposure time | Effects observed |
|--|----------|-------------------|------------------------|----------|---------------|------------------|
| ethanol  |          | No data available |                        |          |               |                  |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | NOEC     | 0.85              | Oncorhynchus<br>mykiss | OECD 204 | 28 day(s)     |                  |
| alkyl alcohol alkoxylate   |          | No data available |                        |          |               |                  |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No<br>247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) |          | No data available |                        |          |               |                  |

Aquatic long-term toxicity - crustacea

| Ingredient(s)                                      | Endpoint | Value     | Species | Method   | Exposure  | Effects observed |
|--|----------|-----------|---------|----------|-----------|------------------|
|  |          | (mg/l)    |         |          | time      |                  |
| ethanol  |          | No data   |         |          |           |                  |
|  |          | available |         |          |           |                  |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | NOEC     | 0.36      | Daphnia | OECD 202 | 22 day(s) |                  |
|  |          |           | magna   |          |           |                  |
| alkyl alcohol alkoxylate                           |          | No data   |         |          |           |                  |
| ·  |          | available |         |          |           |                  |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No       |          | No data   |         |          |           |                  |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No |          | available |         |          |           |                  |
| 220-239-6] (3:1)                                   |          |           |         |          |           |                  |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s)  | Endpoint | Value<br>(mg/kg dw<br>sediment) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|---------------------------------|---------|--------|----------------------|------------------|
| ethanol  |          | No data<br>available            |         |        |                      |                  |
| sulphonic acids, C14-17-sec-alkane, sodium salts   |          | No data<br>available            |         |        |                      |                  |
| alkyl alcohol alkoxylate   |          | No data<br>available            |         |        |                      |                  |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) |          | No data<br>available            |         |        |                      |                  |

**Terrestrial toxicity**Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| refrestrial toxicity - soil invertebrates, including earthwort   | iio, ii avallabl | С.                          |                |          |                         |                  |
|--|------------------|-----------------------------|----------------|----------|-------------------------|------------------|
| Ingredient(s)  | Endpoint         | Value<br>(mg/kg dw<br>soil) | Species        | Method   | Exposure<br>time (days) | Effects observed |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | NOEC             | 470                         | Eisenia fetida | OECD 222 | 56                      |                  |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No<br>247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) |                  | No data<br>available        |                |          |                         |                  |

Terrestrial toxicity - plants, if available:

| Ingredient(s)  | Endpoint | Value<br>(mg/kg dw<br>soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) |          | No data<br>available        |         |        |                      |                  |

Terrestrial toxicity - birds, if available:

| Ingredient(s)   | Endpoint | Value                | Species | Method | Exposure time (days) | Effects observed |
|---|----------|----------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No |          | No data<br>available |         |        |                      |                  |
| 220-239-6] (3:1)  |          |                      |         |        |                      |                  |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s)  | Endpoint | Value<br>(mg/kg dw<br>soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) |          | No data<br>available        |         |        |                      |                  |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s)  | Endpoint | Value<br>(mg/kg dw<br>soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No<br>247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) |          | No data<br>available        |         |        |                      |                  |

### 12.2 Persistence and degradability

Abiotic degradation

idation - photodegradation in air, if available:

| ribiotic degradation protodegradation in all, if a | valiable.         |        |            |        |
|--|-------------------|--------|------------|--------|
| Ingredient(s)                                      | Half-life time    | Method | Evaluation | Remark |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No       | No data available |        |            |        |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one        |                   |        |            |        |
| [EC No 220-239-6] (3:1)                            |                   |        |            |        |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s)                                | Half-life time in fresh | Method | Evaluation | Remark |
|--|-------------------------|--------|------------|--------|
|  | water                   |        |            |        |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | No data available       |        |            |        |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one  |                         |        |            |        |
| [EC No 220-239-6] (3:1)                      |                         |        |            |        |

Abiotic degradation - other processes, if available:

| Ingredient(s)           | Туре | Half-life time    | Method | Evaluation | Remark |
|-------------------------|------|-------------------|--------|------------|--------|
| 5-chloro-2-methyl-2H-is |      | No data available |        |            |        |
| othiazol-3-one [EC No   |      |                   |        |            |        |

| 247-500-7] and<br>2-methyl-2H-isothiazol- |  |  |  |
|---|--|--|--|
| 3-one [EC No<br>220-239-6] (3:1)          |  |  |  |

**Biodegradation** Ready biodegradability - aerobic conditions

| Ingredient(s)  | Inoculum                 | Analytical method          | DT 50                  | Method    | Evaluation            |
|--|--------------------------|----------------------------|------------------------|-----------|-----------------------|
| ethanol  | Activated sludge, aerobe | Oxygen depletion           | > 60% in 10 day(s)     | OECD 301B | Readily biodegradable |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | Activated sludge, aerobe | DOC reduction              | 89 % in 28 day(s)      | OECD 301E | Readily biodegradable |
| alkyl alcohol alkoxylate   |                          | CO <sub>2</sub> production | > 60 % in 28<br>day(s) | ISO 14593 | Readily biodegradable |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No<br>247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) |                          | Oxygen depletion           | > 60%                  | OECD 301D | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s)   | Medium & Type | Analytical method | DT 50 | Method | Evaluation        |
|---|---------------|-------------------|-------|--------|-------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No |               |                   |       |        | No data available |
| 220-239-6] (3:1)  |               |                   |       |        |                   |

Degradation in relevant environmental compartments, if available:

| Ingredient(s)  | Medium & Type | Analytical method | DT 50 | Method | Evaluation        |
|--|---------------|-------------------|-------|--------|-------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No<br>247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) |               |                   |       |        | No data available |

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log Kow)

| Ingredient(s)   | Value             | Method             | Evaluation                  | Remark |
|---|-------------------|--------------------|-----------------------------|--------|
| ethanol   | -0.31             | Weight of evidence | No bioaccumulation expected |        |
| sulphonic acids, C14-17-sec-alkane, sodium salts  | No data available |                    | No bioaccumulation expected |        |
| alkyl alcohol alkoxylate  | No data available |                    |                             |        |
| 5-chloro-2-methyl-2H-isothiazol-3-one<br>[EC No 247-500-7] and<br>2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) | -0.71 - +0.75     | Method not given   | No bioaccumulation expected |        |

Bioconcentration factor (BCF)

| Ingredient(s)   | Value             | Species | Method             | Evaluation                  | Remark |
|---|-------------------|---------|--------------------|-----------------------------|--------|
| ethanol   | 0.5               |         | Weight of evidence | No bioaccumulation expected |        |
| sulphonic acids,<br>C14-17-sec-alkane,<br>sodium salts  | No data available |         |                    |                             |        |
| alkyl alcohol alkoxylate  | No data available |         |                    |                             |        |
| 5-chloro-2-methyl-2H-is<br>othiazol-3-one [EC No<br>247-500-7] and<br>2-methyl-2H-isothiazol-<br>3-one [EC No<br>220-239-6] (3:1) |                   |         |                    |                             |        |

**12.4 Mobility in soil**Adsorption/Desorption to soil or sediment

| Ingredient(s)  | Adsorption<br>coefficient<br>Log Koc | Desorption<br>coefficient<br>Log Koc(des) | Method | Soil/sediment<br>type | Evaluation |
|--|--------------------------------------|---|--------|-----------------------|------------|
| ethanol  | No data available                    |   |        |                       |            |
| sulphonic acids, C14-17-sec-alkane, sodium salts   | No data available                    |   |        |                       |            |
| alkyl alcohol alkoxylate   | No data available                    |   |        |                       |            |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No<br>247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No<br>220-239-6] (3:1) | No data available                    |   |        |                       |            |

### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

# SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

**European Waste Catalogue:** 

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

20 01 29\* - detergents containing dangerous substances.

**Empty packaging** 

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

# SECTION 14: Transport information

#### Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

# SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

### Ingredients according to Detergents Regulation

non-ionic surfactants, anionic surfactants

< 5 %

perfumes, Linalool, Amyl Cinnamal, Methylchloroisothiazolinone, Methylisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

# 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

### **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4947 Version: 06.6 Revision: 2024-08-07

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, 8, 14

#### Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
  EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
   LD50 Lethal Dose, 50% / Median Lethal dose

- NOAEL No observed adverse effect level

  NOEL No observed effect level

  OECD Organisation for Economic Cooperation and Development

  PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
   PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H225 Highly flammable liquid and vapour.
  H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
  H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

**End of Safety Data Sheet**