

JANGRO PROFESSIONAL CLEANER DISINFECTANT CONCENTRATE

Compiled in Accordance with EU and GB REACH and CLP Regulations.

SECTION 1: Identification of	f the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	JANGRO PROFESSIONAL CLEANER DISINFECTANT CONCENTRATE
Product number	800-122-0025
Internal identification	BA048-5
Container size	5L
UFI	UFI: VER2-62NA-2J7M-137K
1.2. Relevant identified use	s of the substance or mixture and uses advised against
Identified uses	Detergent. Disinfectant.
Uses advised against	Not for Oral Consumption. Do not use for personal cleansing. Not for use directly on food or foodstuffs. Use only for intended applications.
1.3. Details of the supplier of	of the safety data sheet
Supplier	Jangro Limited Parklands 1A 3rd Floor Lostock Bolton BL6 4SD Tel. 01204 795955 Jangro (Europe) Ltd 6-9 Trinity Street, Dublin 2 D02 EY47 Ireland Tel.016177911
Contact person	For content of safety data sheet:, enquiries@jangrohq.net
1.4. Emergency telephone	number
Emergency telephone	+44 (0) 1204 795 955 (Jangro)
National emergency telephonumber	one UK: In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 Ireland: For information or to report a poisoning incident contact The National Poisons Information Centre (01 8092166)
SECTION 2: Hazards identification	
2.1. Classification of the sul	

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)		
Physical hazards	Not Classified	

Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411
2.2. Label elements Hazard pictograms	
Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P501 Dispose of contents/ container in accordance with national regulations.
Contains	ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))
Biocide Labelling	This product contains substances with biocidal properties., Contains active substance: Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)), Read attached instructions before use.
Detergent labelling	5 - < 15% disinfectants, < 5% non-ionic surfactants, < 5% perfumes, Contains HEXYL CINNAMAL, CITRONELLOL, GERANIOL, LINALOOL
Supplementary precautionary statements	 P260 Do not breathe vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P391 Collect spillage. P405 Store locked up.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALKYL (C12-16) DIMETHY CHLORIDE (ADBAC/BKC (
CAS number: 68424-85-1	EC number: 270-325-2
M factor (Acute) = 10	M factor (Chronic) = 1
Classification Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
SODIUM CARBONATE	1-5%
CAS number: 497-19-8	EC number: 207-838-8
Classification Eye Irrit. 2 - H319	Classification (67/548/EEC or 1999/45/EC) Xi;R36
ALCOHOLS, C12-14, ETHO	OXYLATED <1%
CAS number: 68439-50-9	EC number: 500-213-3
Classification Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	
SODIUM HYDROXIDE CAS number: 1310-73-2	<1% EC number: 215-185-5
Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318	
The Full Text for all R-Phras	es and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid measu	res
4.1. Description of first aid m	
General information	Provide eyewash station.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe

apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe or persist after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed			
General information	Provide eyewash station.		
Inhalation	Unlikely to be hazardous by inhalation because of the low vapour pressure of the product at ambient temperature.		
Ingestion	Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.		
Skin contact	Prolonged contact may cause redness, irritation and dry skin.		
Eye contact	May cause serious eye damage. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.		
4.3. Indication of any immedia	te medical attention and special treatment needed		
Notes for the doctor	No specific recommendations.		
SECTION 5: Firefighting meas	sures		
5.1. Extinguishing media			
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.		
5.2. Special hazards arising fro	om the substance or mixture		
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.		
5.3. Advice for firefighters			
Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.		
SECTION 6: Accidental releas	e measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures		
Personal precautions	For personal protection, see Section 8. Treat the spilled material according to the instructions in the clean-up section. Take care as floors and other surfaces may become slippery.		
6.2. Environmental precaution	<u>S</u>		
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.		
6.3. Methods and material for	6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Stop leak if safe to do so. Take care as floors and other surfaces may become slippery. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up.		
6.4. Reference to other section			
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.		
SECTION 7: Handling and storage			

4.2. Most important symptoms and effects, both acute and delayed

7.1. Precautions for safe handling

Usage precautions	Avoid spilling. Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do not mix with other household chemical products. Do not mix with acid.
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure control	s/Personal protection
8.1. Control parameters	
Occupational exposure limits	
SODIUM HYDROXIDE	
Short-term exposure limit (15-r WEL = Workplace Exposure L	
ALKYL (C12-1	6) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)) (CAS: 68424-85-1)
DNEL	Workers - Dermal; Long term systemic effects: 5.7 mg/kg/day Workers - Inhalation; Long term systemic effects: 3.96 mg/m ³ General population - Oral; Long term systemic effects: 3.4 mg/kg/day General population - Dermal; Long term systemic effects: 3.4 mg/kg/day General population - Inhalation; Long term systemic effects: 1.64 mg/m ³
PNEC	- Fresh water; 0.001 mg/l Intermittent release, Fresh water; 0 mg/l marine water; 0.001 mg/l STP; 0.4 mg/l Sediment (Freshwater); 12.27 mg/kg Sediment (Marinewater); 13.09 mg/kg Soil; 7 mg/kg
	SODIUM CARBONATE (CAS: 497-19-8)
DNEL	Workers - Inhalation; Long term local effects: 10 mg/m ³

General population - Inhalation; Long term local effects: 10 mg/m³

ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

DNELWorkers - Inhalation; Long term systemic effects: 294 mg/m³
Workers - Dermal; Long term systemic effects: 2080 mg/kg/day
General population - Inhalation; Long term systemic effects: 87 mg/m³
General population - Dermal; Long term systemic effects: 1250 mg/kg/day
General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC	 Fresh water; 0.0437 mg/l Intermittent release; 0.004 mg/l STP; 10 mg/l Sediment (Freshwater); 31 mg/kg Sediment (Marinewater); 31 mg/kg Soil; 1 mg/kg 		
	GERANIOL (CAS: 106-24-1)		
DNEL	Workers - Inhalation; Long term systemic effects: 161.6 mg/m ³ Workers - Dermal; Long term systemic effects: 12.5 mg/kg/day General population - Inhalation; Long term systemic effects: 47.8 mg/m ³ General population - Dermal; Long term systemic effects: 7.5 mg/kg/day General population - Dermal; Long term local effects: 11.8 mg/kg/day General population - Oral; Long term systemic effects: 13.75 mg/kg/day		
PNEC	 Fresh water; 0.011 mg/l marine water; 0.001 mg/l Intermittent release; 0.108 mg/l STP; 0.7 mg/l Sediment (Freshwater); 0.115 mg/kg Sediment (Marinewater); 0.011 mg/kg Soil; 0.017 mg/kg SODIUM HYDROXIDE (CAS: 1310-73-2)		
DNEL	Industry - Inhalation; Long term local effects: 1.0 mg/m ³ Consumer - Inhalation; Long term local effects: 1.0 mg/m ³		
LINALOOL (CAS: 78-70-6)			
DNEL	Workers - Inhalation; Long term systemic effects: 2.8 mg/m ³ Workers - Inhalation; Short term systemic effects: 16.5 mg/m ³ Workers - Dermal; Long term systemic effects: 2.5 mg/kg Workers - Dermal; Short term systemic effects: 5 mg/kg/day Workers - Dermal; Long term local effects: 3 mg/cm ² Workers - Dermal; Short term local effects: 3 mg/cm ² General population - Inhalation; Long term systemic effects: 0.7 mg/m ³ General population - Inhalation; Short term systemic effects: 4.1 mg/m ³ General population - Dermal; Long term systemic effects: 1.25 mg/kg/day General population - Dermal; Short term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term, Short term local effects: 1.5 mg/cm ² General population - Oral; Long term systemic effects: 0.2 mg/kg/day		
PNEC	 Fresh water; 0.2 mg/l marine water; 0.02 mg/l STP; 10 mg/l Sediment (Freshwater); 2.22 mg/kg Sediment (Marinewater); 0.222 mg/kg Soil; 0.327 mg/kg ; 		

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment that provides appropriate eye and face protection should be worn.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. A break through time of >60 minutes is suggested. Gloves should be inspected regularly for damage.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate hand lotion to prevent defatting and cracking of skin.
Hygiene measures	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.
Respiratory protection	Respiratory protection not required.
Environmental exposure controls	Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Blue.
Odour	Perfume.
Odour threshold	Not applicable.
рН	pH (diluted solution): 11-12.5
Melting point	Not determined.
Initial boiling point and range	No information available.
Flash point	Not determined.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	Not applicable. Not flammable
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapour pressure	No information available.

Vapour density	No information available.	
Relative density	~ 1.020 @ 20°C	
Bulk density	Not applicable.	
Solubility(ies)	Soluble in water.	
Partition coefficient	No information available.	
Auto-ignition temperature	No information available.	
Decomposition Temperature	No information available.	
Viscosity	No information available.	
Explosive properties	There are no chemical groups present in the product that are associated with explosive properties.	
Explosive under the influence of a flame	Not considered to be explosive.	
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.	
Comments	Information given is applicable to the product as supplied.	
9.2. Other information		
Other information	Not relevant.	
Refractive index	12-14.5	
Volatile organic compound	Not applicable.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	Under normal storage conditions this product is stable.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	No known hazardous decomposition products.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		

Toxicological effects

Information given is based on data of the components and of similar products.

JANGRO PROFESSIONAL CLEANER DISINFECTANT CONCENTRATE

Other health effects	Does not contain any substances known to be carcinogenic.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	4,968.75
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Skin corrosion/irritation	Corrosive to skin.
Serious eye damage/irritation	
Serious eye damage/irritation	Causes serious eye damage. Corrosivity to eyes is assumed.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
-	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	Danger of very serious irreversible effects in contact with skin, in contact with eyes and if
	swallowed.
Inhalation	The product is considered to be a low hazard under normal conditions of use.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Prolonged or repeated exposure may cause the following adverse effects: Skin irritation. Redness.
Eye contact	May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.
11.2 Information on other hazards	

11.2.1. Endocrine disrupting properties

11.2.2 Other information

Toxicological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Acute toxicity - oral			
Acute toxicity oral (LD₅₀ mg/kg)	397.5		
Species	Rat		
ATE oral (mg/kg)	397.5		
Acute toxicity - dermal			
Acute toxicity dermal (LD₅₀ mg/kg)	3,412.5		
Species	Rabbit		
ATE dermal (mg/kg)	3,412.5		
Skin corrosion/irritation			
Skin corrosion/irritation	Corrosive to skin.		
Serious eye damage/irritati	Serious eye damage/irritation		
Serious eye damage/irritation	Causes serious eye damage.		
Respiratory sensitisation			
Respiratory sensitisation	Not sensitising.		
Skin sensitisation			
Skin sensitisation	Not sensitising.		
Germ cell mutagenicity			
Genotoxicity - in vitro	This substance has no evidence of mutagenic properties.		
Carcinogenicity			
Carcinogenicity	Not classified.		
Reproductive toxicity			
Reproductive toxicity - fertility	Not classified.		
Specific target organ toxicit	y - single exposure		
STOT - single exposure	Not classified. Swallowing concentrated chemical may cause severe internal injury.		
Specific target organ toxicit	Specific target organ toxicity - repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.		
Aspiration hazard			
Aspiration hazard	Not classified.		
SECTION 12: Ecological information			

Ecotoxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Toxicity

The product contains a substance which is harmful to aquatic organisms.

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Acute aquatic toxicity	
LE(C)50	$0.01 < L(E)C50 \le 0.1$
M factor (Acute)	10
Acute toxicity - fish	$LC_{50},96$ hours: 0.515 mg/l, Lepomis macrochirus (Bluegill)
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 0.016 mg/l, Daphnia magna
Acute toxicity - aquatic plants	LC₅₀, : 0.03 mg/l,
Chronic aquatic toxicity	
NOEC	0.001 < NOEC ≤ 0.01
Degradability	Rapidly degradable
M factor (Chronic)	1
Chronic toxicity - fish early life stage	NOEC, : 0.32 mg/l,
Chronic toxicity - aquatic invertebrates	NOEC, : 0.025 mg/l, Daphnia magna NOEC, : 0.009 mg/l, Freshwater algae

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Phototransformation	REACH dossier information. Air - Half-life : 0.25 days
Stability (hydrolysis)	REACH dossier information. - Half-life : 1 year @ 20°C

- 63-95%: 28 days

Biodegradation

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Bioaccumulative potential Low potential for bioaccumulation.

Partition coefficient log Kow: 2.75

12.4. Mobility in soil

Mobility

The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Henry's law constant 0 Pa m³/mol @ 20°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

12.6. Endocrine disrupting properties Endocrine disrupting

properties

Ecological information on ingredients.

ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16))

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current UK criteria. assessment

12.6. Other adverse effects

 Other adverse effects
 None known.

 SECTION 13: Disposal considerations

 13.1. Waste treatment methods

 General information
 Do not discharge into drains or watercourses or onto the ground.

 Disposal methods
 Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

14.1. UN number

UN No. (ADR/RID)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760
UN No. (ADN)	1760

14.2. UN proper shipping name

Proper shipping name	CORROSIVE LIQUID, N.O.S. (CONTAINS ALKYL (C12-16) DIMETHYLBENZYL
(ADR/RID)	AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)), ALCOHOLS, C12-14, ETHOXYLATED)

Proper shipping name (IMDG)	CORROSIVE LIQUID, N.O.S. (CONTAINS ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)), ALCOHOLS, C12-14, ETHOXYLATED)
Proper shipping name (ICAO)	CORROSIVE LIQUID, N.O.S. (CONTAINS ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)), ALCOHOLS, C12-14, ETHOXYLATED)
Proper shipping name (ADN)	CORROSIVE LIQUID, N.O.S. (CONTAINS ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE (ADBAC/BKC (C12-16)), ALCOHOLS, C12-14, ETHOXYLATED)
14.3. Transport hazard class(es)	

`	
ADR/RID class	8
ADR/RID classification code	C9
ADR/RID label	8
IMDG class	8
ICAO class/division	8
ADN class	8

Transport labels



14.4. Packing group		
ADR/RID packing group	Ш	
IMDG packing group	Ш	
ICAO packing group	Ш	
ADN packing group	Ш	

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user		
EmS	F-A, S-B	
ADR transport category	2	
Emergency Action Code	2X	
Hazard Identification Number (ADR/RID)	80	
Tunnel restriction code	(E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). EH40/2005 Workplace exposure limits.
	UK Biocidal Regulations. The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).
	The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009
	No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EU legislation	
	European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended)
	European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended) European Regulation (EC) No 648/2004 on detergents (as amended)
	European Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products (BPR) as amended
	Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006.
Guidance	Workplace Exposure Limits EH40. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. COSHH Essentials.
	Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
General information	This document relates to development samples and is provisional only.
Revision comments	Addition of UFI code
Revision date	12/01/2024
Revision	3
Supersedes date	06/04/2022

SDS number	22399
Hazard statements in full	H290 May be corrosive to metals.
	H302 Harmful if swallowed.
	H314 Causes severe skin burns and eye damage.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.