

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 22/02/2021 Version: 10.5

Generated: 22/01/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

: Mixture Product form

Trade name CRANBERRY AIR FRESHENER UFI 8FDF-P0FJ-A007-ESUW

Product code BG040-CR Type of product : Aerosol Vaporizer : Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : air freshener

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

JANGRO LTD JANGRO LTD EUROPE

PARKLANDS 1A, 3RD FLOOR 6-9 TRINITY STREET LOSTOCK BOLTON BL6 4SD DUBLIN 2 D02 EY47 FIRE UNITED KINGDOM

Tel: +353 (0) 1 617 7911 Email: enquiries@jangrohq.net Tel: +44 (0) 1204 795 955 Email: enquiries@jangrohq.net

#### 1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - +44 (0) 1204 795 955 Tel: +353 (0) 1 617 7911

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Full text of H statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

Signal word (CLP) : Danger

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Document generated @ 22/01/2024 14:53:22 Page 1 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name   | Product identifier   | %       | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP] |
|--|--|---------|---|
| propane substance with national workplace exposure limit(s) (IE)   | (CAS-No.) 74-98-6<br>(EC-No.) 200-827-9<br>(EC Index-No.) 601-003-00-5<br>(REACH-no) 01-2119486944-21  | 10 – 15 | Flam. Gas 1A, H220  |
| butane substance with national workplace exposure limit(s) (IE, GB)                                      | (CAS-No.) 106-97-8<br>(EC-No.) 203-448-7<br>(EC Index-No.) 601-004-00-0<br>(REACH-no) 01-2119474691-32 | 5 – 10  | Flam. Gas 1A, H220<br>Press. Gas                                      |
| propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (IE, GB) | (CAS-No.) 67-63-0<br>(EC-No.) 200-661-7<br>(EC Index-No.) 603-117-00-0<br>(REACH-no) 01-2119457558-25  | 1 – 5   | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336           |

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H-statements: see section 16

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : High concentration of vapours may induce: headache, nausea, dizziness.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Causes eye irritation.

Symptoms/effects after ingestion : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

Document generated @ 22/01/2024 14:53:22 Page 2 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol. Explosion hazard : Explosion risk in case of fire.

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed : Do not pierce or burn, even after use.

Precautions for safe handling : Do not spray on an open flame or other ignition source. Hygiene measures : Do not eat, drink or smoke when using this product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.

Storage conditions : Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/122 °F.

Incompatible products : Oxidizing agent. Strong acids. Strong bases. Incompatible materials : Direct sunlight. Heat sources. Sources of ignition.

Special rules on packaging : Keep only in original container.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

| propane (74-98-6)                      |         |
|--|---------|
| Ireland - Occupational Exposure Limits |         |
| Local name                             | Propane |

Document generated @ 22/01/2024 14:53:22 Page 3 of 10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| propane (74-98-6) |          |
|-------------------|----------|
| OEL TWA [2]       | 1000 ppm |
| Notes (IE)        | Asphx    |

|   | NT 00 0)  |  |
|---|---|--|
| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) |   |  |
| Ireland - Occupational Exposure Limits                |   |  |
| Local name  | Isopropyl alcohol   |  |
| OEL TWA [2]   | 200 ppm   |  |
| OEL STEL [ppm]  | 400 ppm   |  |
| Notes (IE)  | Sk  |  |
| Regulatory reference                                  | Code of Practice for the Chemical Agents Regulations 2018 |  |
| United Kingdom - Occupational Exposure Limits         |   |  |
| Local name  | Propan-2-ol   |  |
| WEL TWA (OEL TWA) [1]                                 | 999 mg/m³   |  |
| WEL TWA (OEL TWA) [2]                                 | 400 ppm   |  |
| WEL STEL (OEL STEL)                                   | 1250 mg/m³  |  |
| WEL STEL (OEL STEL) [ppm]                             | 500 ppm   |  |
| Regulatory reference                                  | EH40/2005 (Third edition, 2018). HSE                      |  |

| butane (106-97-8)                             |  |  |
|---|--|--|
| Ireland - Occupational Exposure Limits        |  |  |
| Local name                                    | Butane   |  |
| OEL TWA [2]                                   | 1000 ppm   |  |
| United Kingdom - Occupational Exposure Limits |  |  |
| Local name                                    | Butane   |  |
| WEL TWA (OEL TWA) [1]                         | 1450 mg/m³   |  |
| WEL TWA (OEL TWA) [2]                         | 600 ppm  |  |
| WEL STEL (OEL STEL)                           | 1810 mg/m³   |  |
| WEL STEL (OEL STEL) [ppm]                     | 750 ppm  |  |
| Remark (WEL)                                  | Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) |  |

## 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

Document generated @ 22/01/2024 14:53:22

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 8.2.2. Personal protection equipment

### 8.2.2.1. Eye and face protection

Eye protection:

Not required for normal conditions of use

### 8.2.2.2. Skin protection

### Skin and body protection:

Not required for normal conditions of use

### **Hand protection:**

In case of repeated or prolonged contact wear gloves

### Other skin protection

Materials for protective clothing:

Not required for normal conditions of use

## 8.2.2.3. Respiratory protection

### Respiratory protection:

Not required for normal conditions of use

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Aerosol.
Colour : Colourless.
Odour : pleasant fruity.
Odour threshold : No data available

pH : 7

Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point : No data available Boiling point : No data available : No data available Flash point Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density : 0.81

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available

Document generated @ 22/01/2024 14:53:22 Page 5 of 10

### **BG040-CR**

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive limits : No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Pressurised container: May burst if heated.

## 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Direct sunlight. Heat. Open flame.

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

No additional information available

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Not classified

pH: 7

Serious eye damage/irritation : Not classified

pH: 7

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

## propan-2-ol; isopropyl alcohol; isopropanol

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

#### **CRANBERRY AIR FRESHENER**

Vaporizer Aerosol

Document generated @ 22/01/2024 14:53:22 Page 6 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) |                      |
|---|----------------------|
| LC50 - Fish [1]                                       | 9640 mg/l            |
| EC50 - Other aquatic organisms [1]                    | 13299 mg/l waterflea |
| EC50 - Other aquatic organisms [2]                    | > 1000 mg/l          |

### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) |      |
|---|------|
| Partition coefficient n-octanol/water (Log Pow)       | 0.05 |

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Do not pierce or burn, even after use.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA

## 14.1 UN number

UN-No. (ADR) : UN 1950 UN-No. (IMDG) : UN 1950 UN-No. (IATA) : UN 1950

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS
Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1
Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1

Document generated @ 22/01/2024 14:53:22

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 14.3. Transport hazard class(es)

### ADR

Transport hazard class(es) (ADR) : 2.1
Danger labels (ADR) : 2.1



**IMDG** 

Transport hazard class(es) (IMDG) : 2.1 Danger labels (IMDG) : 2.1



IATA

Transport hazard class(es) (IATA) : 2.1
Danger labels (IATA) : 2.1



## 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

### **Overland transport**

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

Special provisions for carriage - Packages (ADR) : V14

Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 959

Limited quantities (IMDG): SP277Excepted quantities (IMDG): E0Packing instructions (IMDG): P207, LP200Special packing provisions (IMDG): PP87, L2

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EmS-No. (Fire) : F-D
EmS-No. (Spillage) : S-U
Stowage category (IMDG) : None

Air transport

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code : Not applicable.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                          |
| Flam. Gas 1A                        | Flammable gases, Category 1A   |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |
| Press. Gas                          | Gases under pressure   |
| STOT SE 3                           | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H220                                | Extremely flammable gas.   |
| H222                                | Extremely flammable aerosol.   |
| H225                                | Highly flammable liquid and vapour.                                    |
| H229                                | Pressurised container: May burst if heated.                            |
| H319                                | Causes serious eye irritation.   |
| H336                                | May cause drowsiness or dizziness.                                     |

Document generated @ 22/01/2024 14:53:22 Page 9 of 10

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: |           |                       |
|---|-----------|-----------------------|
| Aerosol 1   | H222;H229 | On basis of test data |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Document generated @ 22/01/2024 14:53:22 Page 10 of 10