

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 23/02/2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : BioHygiene Gum Mark & Graffiti Remover

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Environmentally friendly gum, mark & graffiti remover.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

BioHygiene Unit A – D 12 Pant Glas Industrial Estate Bedwas Caerphilly CF83 8GE UK T +44 (0) 29 2067 4094

general@biologicalpreparations.com

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 29 2067 4094 (9am to 5pm)

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

According to EC directives or the corresponding national regulations there is no labelling obligation for this product. No labelling applicable

## 2.3. Other hazards

This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)

This mixture is not considered to be persistent, bioaccumulating and toxic (PVB)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Propylene glycol n-butyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8	≥ 5 – < 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319
C08-10 Alkyl glucoside	CAS-No.: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530- 36-XXXX	≥1-<3	Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Propylene glycol n-butyl ether	CAS-No.: 5131-66-8 EC-No.: 225-878-4 EC Index-No.: 603-052-00-8	( 20 ≤C < 100) Eye Irrit. 2, H319 ( 20 ≤C < 100) Skin Irrit. 2, H315
C08-10 Alkyl glucoside	CAS-No.: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530- 36-XXXX	( 3 ≤C < 9.99) Eye Irrit. 2, H319 ( 10 ≤C < 100) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : May cause slight irritation.

Symptoms/effects after skin contact : May cause slight irritation to the skin.

Symptoms/effects after eye contact : May cause slight irritation to eyes.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : None known.

23/02/2022 (Issue date) GB - en 2/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : No special requirement.

Emergency procedures : IF ON SKIN: Wash with plenty of water. Ventilate spillage area.

Measures in case of dust release : Not applicable (aqueous liquid).

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

No special environmental precautions required.

#### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Wash the spillage site with large amounts of water. Ventilate spillage area. Other information : Small amount of unwanted product may be flushed with water to sewer.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Work in a well-ventilated area.

Hygiene measures : Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure adequate ventilation, especially in confined areas.

Storage conditions : Store in a well-ventilated place.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

### **BioHygiene Gum Mark & Graffiti Remover**

### **United Kingdom - Occupational Exposure Limits**

Remark Contains no substances with occupational work exposure limits.

#### 8.1.2. Recommended monitoring procedures

No additional information available

23/02/2022 (Issue date) GB - en 3/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

COS-10 Alkyl glucoside (68515-73-1)  DNEL/DMEL (Workers)  Long-term - systemic effects, inhalation	5.1.4. DNEL and PNEC		
Long-term - systemic effects, dermal 595000 mg/kg bodyweight/day Long-term - systemic effects, inhalation 420 mg/m³  DNEL/DMEL (General population) Long-term - systemic effects, oral 35.7 mg/kg bodyweight/day Long-term - systemic effects, inhalation 124 mg/m³ Long-term - systemic effects, dermal 357000 mg/kg bodyweight/day PNEC (Water) PNEC Qual (freshwater) 0.176 mg/l PNEC aqua (marine water) 0.0176 mg/l PNEC aqua (intermittent, freshwater) 0.27 mg/l PNEC sediment (freshwater) 1.516 mg/kg dwt PNEC Sediment (marine water) 0.152 mg/kg dwt PNEC sediment (marine water) 0.152 mg/kg dwt PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC (oral) PNEC (oral) PNEC (oral) PNEC (sevage treatment plant 560 mg/l PNEC (STP) PNEC sevage treatment plant 500 mg/l PNEC (STP) PNED (Marine Water) 500 mg/l PNEC (STP) PNED (Soil (Soil) 1.511 mg/kg food PNEC (STP) PNEC sevage treatment plant 500 mg/l PNEC (STP) PNEC sevage treatment plant 500 mg/l PNEL/DMEL (Workers) Acute - local effects, dermal 50 % in mixture Long-term - systemic effects, inhalation 1.47 mg/m² DNEL/DMEL (General population) Acute - local effects, dermal 50 % in mixture Long-term - systemic effects, inhalation 43 mg/m² Long-term - systemic effects, cermal 52 mg/kg bodyweight/day Long-term - systemic effects, cermal 52 mg/kg bodyweight/day Long-term - systemic effects, cermal 52 mg/kg bodyweight/day Long-term - systemic effects, cermal 50 % in mixture Long-term - systemic effects, cermal 52 mg/kg bodyweight/day Long-term - systemic effects, cermal 52 mg/kg bodyweight/day Long-term - systemic effects, dermal 50 % in mixture PNEC (Water) PNEC Qual (freshwater) 0.525 mg/l PNEC Qual (freshwater) 0.525 mg/l			
Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  Long-term - systemic effects, dermal  DNEC Water)  PNEC aqua (freshwater)  PNEC aqua (marine water)  PNEC aqua (marine water)  PNEC aqua (marine water)  PNEC sediment (freshwater)  PNEC sediment (freshwater)  PNEC sediment (freshwater)  PNEC sediment (freshwater)  PNEC sediment (marine water)  DNEC sediment (marine water)  PNEC sewage treatment plant  Sed mg/kg dwt  PNEC (Sevage treatment plant  Sed mg/kg bodyweight/day  Long-term - systemic effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, cral  Long-term - systemic effects, cral  Long-term - systemic effects, dermal  Long-term - sy	DNEL/DMEL (Workers)		
DNEL/DMEL (General population)  Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  Long-term - systemic effects, dermal  DNEC (Water)  PNEC (Water)  PNEC (aqua (freshwater)  PNEC aqua (intermittent, freshwater)  PNEC sedium (freshwater)  PNEC sedium (freshwater)  PNEC sediment (freshwater)  PNEC soli  PNEC soli  PNEC (Oral)  PNEC (Oral)  PNEC (Oral)  PNEC (Oral)  PNEC (Oral)  PNEC soli (secondary poisoning)  111.11 mg/kg food  PNEC (STP)  PNEC sediment (pnech sediment)  PNEC sediment (pnech sediment)  Propylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  Long-term - systemic effects, inhalation  Long-term - systemic effects, dermal  Long-term - systemic effects, dermal  Long-term - systemic effects, dermal  Long-term - systemic effects, malation  Long-term - systemic effects, dermal  Long-term - syste	Long-term - systemic effects, dermal	595000 mg/kg bodyweight/day	
Long-term - systemic effects, oral Long-term - systemic effects, inhalation Long-term - systemic effects, dermal JS7000 mg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) PNEC aqua (freshwater) PNEC aqua (freshwater) PNEC systemic effects, dermal PNEC sediment) PNEC sediment (freshwater) PNEC sewage treatment plant Propylene glycol n-butyl ether (5131-66-8) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, dermal Long-term - systemic effects, inhalation PNEL/DMEL (General population) Acute - local effects, dermal Long-term - systemic effects, inhalation PNEL/DMEL (General population) Acute - local effects, dermal DNEL/DMEL (General population) Acute - local effects, dermal DNEL/DMEL (General population) Acute - local effects, dermal DNEL/DMEL (General population) DNEL/DMEL (General population) Acute - local effects, dermal DNEL/DMEL (General population) DNED (DNEC (Water) DNEC	Long-term - systemic effects, inhalation	420 mg/m³	
Long-term - systemic effects, inhalation	DNEL/DMEL (General population)		
Long-term - systemic effects, dermal 357000 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater) 0.176 mg/l  PNEC aqua (intermittent, freshwater) 0.0176 mg/l  PNEC aqua (intermittent, freshwater) 0.27 mg/l  PNEC (Sediment)  PNEC (Sediment)  PNEC sediment (freshwater) 1.516 mg/kg dwt  PNEC sediment (freshwater) 0.152 mg/kg dwt  PNEC (Soil)  PNEC (Soil)  PNEC (Soil)  PNEC (Oral)  PNEC (Oral)  PNEC (STP)  PNEC exwage treatment plant 560 mg/l  Propylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, inhalation 147 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, oral 12.5 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 417 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, inhalation 12.5 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 43 mg/m³  Long-term - systemic effects, inhalation 43 mg/m³  Long-term - systemic effects, dermal 22 mg/kg bodyweight/day  Long-term - local effects, dermal 22 mg/kg bodyweight/day  Long-term - systemic effects, dermal 22 mg/kg bodyweight/day  Long-term - local effects, dermal 50 % in mixture  PNEC (Water)  PNEC aqua (freshwater) 0.525 mg/l	Long-term - systemic effects,oral	35.7 mg/kg bodyweight/day	
PNEC (Water)         0.176 mg/l           PNEC aqua (Intermittent, freshwater)         0.0176 mg/l           PNEC aqua (Intermittent, freshwater)         0.27 mg/l           PNEC (Sediment)         1.516 mg/kg dwt           PNEC (Sediment)         1.516 mg/kg dwt           PNEC sediment (Irraine water)         0.152 mg/kg dwt           PNEC (Soil)         0.854 mg/kg dwt           PNEC (Soil)         0.854 mg/kg dwt           PNEC (Oral)         111.11 mg/kg food           PNEC (STP)         PNEC sewage treatment plant         560 mg/l           Propylene glycol n-butyl ether (5131-66-8)         DNEL/DMEL (Workers)           Acute - local effects, dermal         50 % in mixture           Long-term - systemic effects, dermal         50 % in mixture           Long-term - systemic effects, inhalation         147 mg/m³           DNEL/DMEL (General population)         Acute - local effects, dermal         50 % in mixture           Long-term - systemic effects, inhalation         43 mg/m³         Long-term - systemic effects, inhalation           Long-term - systemic effects, inhalation         43 mg/m³         Long-term - systemic effects, dermal           Long-term - systemic effects, dermal         50 % in mixture           Long-term - systemic effects, dermal         50 % in mixture           Long-term	Long-term - systemic effects, inhalation	124 mg/m³	
PNEC aqua (freshwater)	Long-term - systemic effects, dermal	357000 mg/kg bodyweight/day	
PNEC aqua (marine water) 0.0176 mg/l PNEC aqua (intermittent, freshwater) 0.27 mg/l PNEC (Sediment) PNEC (Sediment) PNEC sediment (freshwater) 1.516 mg/kg dwt PNEC sediment (marine water) 0.152 mg/kg dwt PNEC (Soil) PNEC soil 0.654 mg/kg dwt PNEC (Oral) PNEC oral (secondary poisoning) 111.11 mg/kg food PNEC (STP) PNEC sewage treatment plant 560 mg/l Propylene glycol n-butyl ether (5131-66-8) DNEL/DMEL (Workers) Acute - local effects, dermal 50 % in mixture Long-term - systemic effects, inhalation 147 mg/m³ DNEL/DMEL (General population) Acute - local effects, dermal 50 % in mixture Long-term - systemic effects, inhalation 43 mg/m³ Long-term - systemic effects, oral 12.5 mg/kg bodyweight/day Long-term - systemic effects, dermal 50 % in mixture Long-term - systemic effects, dermal 50 % in mixture Long-term - systemic effects, dermal 50 % in mixture Long-term - systemic effects, dermal 50 % in mixture Long-term - systemic effects, dermal 50 % in mixture Long-term - systemic effects, dermal 50 % in mixture Long-term - systemic effects, dermal 22 mg/kg bodyweight/day Long-term - systemic effects, dermal 22 mg/kg bodyweight/day Long-term - systemic effects, dermal 50 % in mixture PNEC (Water) PNEC aqua (freshwater) 0.525 mg/l PNEC aqua (freshwater) 0.0525 mg/l	PNEC (Water)		
PNEC (sediment)  PNEC (sediment (freshwater)	PNEC aqua (freshwater)	0.176 mg/l	
PNEC (Sediment)  PNEC sediment (freshwater)	PNEC aqua (marine water)	0.0176 mg/l	
PNEC sediment (freshwater) PNEC sediment (marine water) PNEC (Soil) PNEC (Soil) PNEC (Soil) PNEC (Oral) PNEC (Oral) PNEC (Oral) PNEC oral (secondary poisoning) 111.11 mg/kg food PNEC (STP) PNEC sewage treatment plant 560 mg/l Propylene glycol n-butyl ether (5131-66-8) DNEL/DMEL (Workers) Acute - local effects, dermal Long-term - systemic effects, inhalation 147 mg/m² DNEL/DMEL (General population) Acute - local effects, dermal Long-term - systemic effects, oral 20 % in mixture Long-term - systemic effects, oral 21.5 mg/kg bodyweight/day Long-term - systemic effects, dermal Long-term - systemic effects, oral 22 mg/kg bodyweight/day Long-term - systemic effects, dermal Long-term - local ef	PNEC aqua (intermittent, freshwater)	0.27 mg/l	
PNEC sediment (marine water)  PNEC (Soil)  PNEC soil  DNEC (Oral)  PNEC oral (secondary poisoning)  I11.11 mg/kg food  PNEC (STP)  PNEC sewage treatment plant  560 mg/l  Propylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal  Long-term - systemic effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  147 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  142.5 mg/kg bodyweight/day  Long-term - systemic effects, inhalation  143 mg/m³  Long-term - systemic effects, oral  Long-term - systemic effects, dermal  Long-term - local effects, dermal  DNEC (Water)  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)	PNEC (Sediment)		
PNEC (Soil) PNEC soil	PNEC sediment (freshwater)	1.516 mg/kg dwt	
PNEC soil 0.654 mg/kg dwt  PNEC (Oral)  PNEC oral (secondary poisoning) 111.11 mg/kg food  PNEC (STP)  PNEC sewage treatment plant 560 mg/l  Propylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, dermal 50 % in mixture  Long-term - local effects, inhalation 147 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, inhalation 147 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, oral 12.5 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 43 mg/m³  Long-term - systemic effects, dermal 22 mg/kg bodyweight/day  Long-term - systemic effects, dermal 50 % in mixture  PNEC water)  PNEC aqua (freshwater) 0.525 mg/l  PNEC aqua (marine water) 0.0525 mg/l	PNEC sediment (marine water)	0.152 mg/kg dwt	
PNEC (Oral) PNEC oral (secondary poisoning)  PNEC (STP) PNEC sewage treatment plant  Propylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal  Long-term - systemic effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  50 % in mixture  Long-term - systemic effects, inhalation  147 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  Long-term - systemic effects, dermal  Long-term - systemic effects, dermal  Doug-term - systemic effect	PNEC (Soil)		
PNEC (STP) PNEC sewage treatment plant  560 mg/l  Propylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, inhalation  43 mg/m³  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  Long-term - systemic effects, dermal  Long-term - local effects, dermal  DNEL/DMEL (General population)  Acute - local effects, dermal  DNEL (Systemic effects, dermal (Systemic plant) (Sys	PNEC soil	0.654 mg/kg dwt	
PNEC (STP)  PNEC sewage treatment plant  Fropylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal  Long-term - systemic effects, dermal  Long-term - local effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  50 % in mixture  Long-term - systemic effects, inhalation  147 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, oral  12.5 mg/kg bodyweight/day  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  50 % in mixture  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  0.0525 mg/l	PNEC (Oral)		
PNEC sewage treatment plant  Fropylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal  Long-term - systemic effects, dermal  Long-term - local effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  DNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  0.0525 mg/l	PNEC oral (secondary poisoning)	111.11 mg/kg food	
Propylene glycol n-butyl ether (5131-66-8)  DNEL/DMEL (Workers)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, dermal 50 % in mixture  Long-term - local effects, dermal 50 % in mixture  Long-term - systemic effects, inhalation 147 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, oral 12.5 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 43 mg/m³  Long-term - systemic effects, dermal 22 mg/kg bodyweight/day  Long-term - local effects, dermal 50 % in mixture  PNEC (Water)  PNEC aqua (freshwater) 0.525 mg/l  PNEC aqua (marine water) 0.0525 mg/l	PNEC (STP)		
DNEL/DMEL (Workers)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, dermal 50 % in mixture  Long-term - local effects, dermal 50 % in mixture  Long-term - systemic effects, inhalation 147 mg/m³  DNEL/DMEL (General population)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, oral 12.5 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 43 mg/m³  Long-term - systemic effects, inhalation 43 mg/m³  Long-term - local effects, dermal 50 % in mixture  PNEC (Water)  PNEC aqua (freshwater) 0.525 mg/l  PNEC aqua (marine water) 0.0525 mg/l	PNEC sewage treatment plant	560 mg/l	
Acute - local effects, dermal  Long-term - systemic effects, dermal  Long-term - local effects, dermal  Long-term - local effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, oral  Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  50 % in mixture  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  0.0525 mg/l	Propylene glycol n-butyl ether (5131-66-8)	Propylene glycol n-butyl ether (5131-66-8)	
Long-term - systemic effects, dermal  Long-term - local effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, oral  Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, inhalation  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  22 mg/kg bodyweight/day  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  0.0525 mg/l	DNEL/DMEL (Workers)		
Long-term - local effects, dermal  Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  50 % in mixture  9 my/m³  10	Acute - local effects, dermal	50 % in mixture	
Long-term - systemic effects, inhalation  DNEL/DMEL (General population)  Acute - local effects, dermal  Long-term - systemic effects,oral  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  50 % in mixture  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  0.0525 mg/l	Long-term - systemic effects, dermal	52 mg/kg bodyweight/day	
DNEL/DMEL (General population)  Acute - local effects, dermal 50 % in mixture  Long-term - systemic effects, oral 12.5 mg/kg bodyweight/day  Long-term - systemic effects, inhalation 43 mg/m³  Long-term - systemic effects, dermal 22 mg/kg bodyweight/day  Long-term - local effects, dermal 50 % in mixture  PNEC (Water)  PNEC aqua (freshwater) 0.525 mg/l  PNEC aqua (marine water) 0.0525 mg/l	Long-term - local effects, dermal	50 % in mixture	
Acute - local effects, dermal  Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  Long-term - systemic effects, dermal  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  50 % in mixture  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)	Long-term - systemic effects, inhalation	147 mg/m³	
Long-term - systemic effects, oral  Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  50 % in mixture  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  12.5 mg/kg bodyweight/day  0.525 mg/l	DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation  43 mg/m³  Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  50 % in mixture  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  0.0525 mg/l	Acute - local effects, dermal	50 % in mixture	
Long-term - systemic effects, dermal  22 mg/kg bodyweight/day  Long-term - local effects, dermal  50 % in mixture  PNEC (Water)  PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  0.0525 mg/l	Long-term - systemic effects,oral	12.5 mg/kg bodyweight/day	
Long-term - local effects, dermal 50 % in mixture  PNEC (Water)  PNEC aqua (freshwater) 0.525 mg/l  PNEC aqua (marine water) 0.0525 mg/l	Long-term - systemic effects, inhalation	43 mg/m³	
PNEC (Water)  PNEC aqua (freshwater) 0.525 mg/l  PNEC aqua (marine water) 0.0525 mg/l	Long-term - systemic effects, dermal	22 mg/kg bodyweight/day	
PNEC aqua (freshwater)  0.525 mg/l  PNEC aqua (marine water)  0.0525 mg/l	Long-term - local effects, dermal	50 % in mixture	
PNEC aqua (marine water) 0.0525 mg/l	PNEC (Water)		
	PNEC aqua (freshwater)	0.525 mg/l	
PNEC aqua (intermittent, freshwater) 5.25 mg/l	PNEC aqua (marine water)	0.0525 mg/l	
	PNEC aqua (intermittent, freshwater)	5.25 mg/l	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Propylene glycol n-butyl ether (5131-66-8)	
PNEC (Sediment)	
PNEC sediment (freshwater)	2.36 mg/kg dwt
PNEC sediment (marine water)	0.236 mg/kg dwt
PNEC (Soil)	
PNEC soil	0.16 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant 10 mg/l	

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid contact with eyes. Ensure spraying away from persons.

#### 8.2.2.1. Eye and face protection

#### Eve protection:

Eye protection not applicable. Ensure spraying away from persons

## 8.2.2.2. Skin protection

## Skin and body protection:

No special requirement

#### Hand protection:

Hand protection not applicable. In case of repeated or prolonged contact wear gloves

## 8.2.2.3. Respiratory protection

## Respiratory protection:

Not necessary with sufficient ventilation. Ensure spraying away from persons

#### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Not required.

## 8.2.3. Environmental exposure controls

## Environmental exposure controls:

No special environmental concerns.

### Consumer exposure controls:

The substance is not classified for human health hazards or for environment effects and it is not PBT or vPvB so that no exposure assessment or risk characterisation is required. For tasks where the intervention of workers is required, the substance must be handled in accordance with good industrial hygiene and safety procedures. Work in a well-ventilated area.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Appearance : Liquid.
Odour : characteristic.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold : Not available Melting point : Not applicable Freezing point Not available Not available Boiling point Flammability Not applicable **Explosive limits** Not available Lower explosive limit (LEL) Not available Upper explosive limit (UEL) Not available Flash point : Not available Auto-ignition temperature : Not available : Not available Decomposition temperature · 7 – 8 рΗ

Viscosity, kinematic : Not available

Solubility : Moderately soluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available Density : Not available Relative density : Not available : Not available Relative vapour density at 20 °C Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable Particle aspect ratio : Not applicable Particle aggregation state : Not applicable : Not applicable Particle agglomeration state Particle specific surface area : Not applicable Particle dustiness : Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

C08-10 Alkyl glucoside (68515-73-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

## Propylene glycol n-butyl ether (5131-66-8)

	N
	Toxicity)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal

Skin corrosion/irritation : Not classified pH: 7 – 8

pH: 7 – 8

Serious eye damage/irritation : Not classified

pH: 7 – 8

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

000 40 4	Alkvl alucoside	/COE4E 70 4\
I ( IIX_1II /	ANISOCIIN IVALL	16×515-/3-11

NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity
	Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)

## Propylene glycol n-butyl ether (5131-66-8)

LOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	350 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (dermal, rat/rabbit, 90 days)	880 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

Aspiration hazard : Not classified

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term (chronic)

: Not classified

23/02/2022 (Issue date) GB - en 7/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

C08-10 Alkyl glucoside (68515-73-1)	
LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Propylene glycol n-butyl ether (5131-66-8)	
LC50 - Fish [1]	560 – 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 - Crustacea [1]	> 1000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	> 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

## 12.2. Persistence and degradability

BioHygiene Gum Mark & Graffiti Remover	
Persistence and degradability	Readily biodegradable.

## 12.3. Bioaccumulative potential

BioHygiene Gum Mark & Graffiti Remover	
Bioaccumulative potential	The product is miscible in water and readily biodegradable in both water and soil.  Accumulation is not expected.

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

#### **BioHygiene Gum Mark & Graffiti Remover**

This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)

This mixture is not considered to be persistent, bioaccumulating and toxic (PVB)

#### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

23/02/2022 (Issue date) GB - en 8/11

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

## Inland waterway transport

Not applicable

### Rail transport

Not applicable

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Organic solvent

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

## 15.1.2. National regulations

No additional information available

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		
VOC	Volatile Organic Compounds		
CAS-No.	Chemical Abstract Service number		
N.O.S.	Not Otherwise Specified		
vPvB	Very Persistent and Very Bioaccumulative		
ED	Endocrine disrupting properties		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.