

**1. Identification of the substance/mixture & of the company/undertaking****1.1 Product Identifier**

Product Name: Super Active Washing-Up Liquid  
Product Code: POTSA005DEL01R / POTSA050DEL01R (concentrate)

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Substance/Mixture: Hard surface cleaner and detergent.  
Recommended restrictions on use: We do not have information on restrictions. They will be included when available.

**1.3 Details of the supplier of the safety data sheet**

Company: Delphis Eco, Unit 1, River Reach, Gartons Way, London SW11 3SX

**1.4 Emergency telephone number**

Emergency phone number: t. 0203 397 0096 (office hours only) f. 0870 974 7219 e: sales@delphiseco.com

**2. Hazards Identification****2.1 Classification of the substance or mixture**

Classification according to EU Directive 1999/45/EC

Hazard Symbol/Category of danger	Risk Phrases
Irritant	R41

Classification according to Regulation (EC) No 1272/2008: Refer to Section 16.  
For the wording of the listed R phrases or H statements, refer to section 16.

**2.2 Label elements**

Labelling according to EU Directive 1999/45/EC

Hazard Symbol:



Classification:	Xi:	Irritant.
Risk Phrases:	R41:	Risk of Serious Damage to eyes.
	R38:	Irritating to skin.
Safety Phrases	S2:	Keep out of reach of children.
	S24/25:	Avoid contact with skin and eyes.
	S26:	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S37/39:	Wear suitable gloves and eye/face protection.

Labelling according to Regulation (EC) No 1272/2008: Refer to Section 16.

**2.3 Other hazards**

No other information is available.  
Hazardous components which must be listed on the label: None

**3. Composition/Information on Ingredients****3.2 Mixtures**

Ingredient Name	Identifiers	Classification 67/548/EEC	Classification EC/1272/2008	Concentration Range
Sodium Alkyl Benzene Sulphonate	EC - 290-656-6 CAS - 90194-45-9	Irritant R38 Irritant R41	Skin Irritation.2 H315 Eye Damage 1 H318	10-20%
Sodium Alkyl Ethoxy Sulphate	EC - 500-223-8 CAS - 68585-34-2	Irritant R36/38	Eye Irritation 2 H319 Skin Irritation 2 H315	5-10%
Ethoxylated Alcohol	EC - Polymer CAS - 68439-46-3	Harmful R22 Irritant R41	Acute Tox 4 H302 Eye Damage 1 H318	1-5%
Coco Diethanolamide	EC - 271-657-0 CAS - 68603-42-9	Irritant R38 Irritant R41	Skin Irritation.2 H315 Eye Damage 1 H318	1-5%

For the wording of the listed R phrases or H statements, refer to section 16.

**4. First Aid Measures****4.1 Description of first aid measures**

Eye contact: Avoid contact with eyes, if product gets into eyes, rinse with water.  
Skin contact: Avoid contact with skin, if product gets onto skin wash with water and remove contaminated clothing.  
Ingestion: Do not drink, if swallowed drinking water may be beneficial, do not induce vomiting.  
Inhalation: Avoid inhaling product, move to fresh air if in discomfort.

**4.2 Most important symptoms and effects, both acute and delayed**

No further information available.

**4.3 Indication of immediate medical attention and special treatment needed**

Treatment: Treat symptomatically.

**5. Fire Fighting Measures****5.1 Extinguishing Media**

Suitable Extinguishing Media: Foam, Dry Powder, Co2, fine water spray suitable.  
Unsuitable Extinguishing Media: None.

**5.2 Special hazards arising from the substance or mixture**

Not classed as flammable, if involved in a fire may emit noxious fumes.

**5.3 Advice for fire fighters**

Wear self contained breathing apparatus and protective clothing. Cool closed containers exposed to the fire with water spray.  
Prevent water run-off from discharging into drains.

**6. Accidental Release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away. Use protective clothing, chemical eye goggles and PVC or rubber gloves. Avoid contact with skin and eyes.

**6.2 Environmental precautions**

Inform authorities in case of contamination of water or sewage system. Do not allow product to soak into drains or water courses.

**6.3 Methods and materials for containment and cleaning up**

Soak liquid in absorbent material and collect solids in a container. Wash down floor area as spillages can be slippery. Dispose only in accordance with Local Authority regulations, via authorised waste disposal agent.

**6.4 Reference to other sections**

For personal protection refer to section 8.

**7. Handling and Storage****7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Observe good standards of industrial hygiene. Take note of emission threshold.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep containers tightly closed. Store between 10-35°C. Protect from frost. Do not store in extremes of temperature or near foodstuffs.

**7.3 Specific end uses**

To be used as a hard surface cleaner.

**8. Exposure Controls/Personal Protection****8.1 Control parameters**

WEL's not listed for individual components.

**8.2 Exposure controls**

Respiratory Protection: Unlikely to be necessary where adequate ventilation is provided.

Eyes: Eye protection should be worn.

Hand: PVC or rubber gloves are recommended.

Skin: Remove contaminated clothing and wash with soap and water.

## our safety data sheet for...



**Product name:** Super Active Washing-Up Liquid  
**Product code:** POTSA005DEL01R / POTSA050DEL01R  
**Page:** 3 of 5

### 8.2.3 Environmental exposure controls

Dispose only in accordance with Local Authority regulations, via authorised waste disposal agent.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

**Appearance:** Clear Pale Amber Fluid  
**Odour:** Citrus  
**Odour Threshold:** Not determined  
**pH Neat:** 8.0 typical  
**Freezing Point:** 0°C typical  
**Initial Boiling Point & Boiling Range:** 100°C  
**Flash Point:** Not applicable  
**Evaporation rate:** Not determined  
**Flammability:** Not Flammable  
**Upper/Lower Flammability Limits:** Not applicable  
**Vapour Pressure:** Not determined  
**Vapour Density:** Not determined  
**Relative Density:** 1.025 typical @ 20°C  
**Solubility:** Soluble in water  
**Partition Coefficient (Oct/Water):** Not determined  
**Auto Ignition Temperature:** Not applicable  
**Decomposition Temperature:** >100°C  
**Viscosity:** As water  
**Explosive Properties:** Not applicable  
**Oxidising Properties:** Not applicable

### 9.2 Other Information

**pH @ 5% in tap water:** 8.0 typical

## 10. Stability and Reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical Stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to Avoid

High temperatures, naked flames.

### 10.5 Incompatible materials

Strong oxidising agents, strong acids.

### 10.6 Hazardous decomposition products

Oxides of carbon, water vapour and unidentified organic and inorganic compounds, some of which may be toxic may be evolved. Product is stable under normal conditions.

## 11. Toxicological Information

### 11.1 Information on toxicological effects

**Eyes:** Classified as a serious eye irritant. Contact with the eyes may give rise to irritation and stinging. No permanent damage if treated immediately.  
**Skin:** Classified as a skin irritant. Exposure to the skin may give rise to irritation. Prolonged or repeated contact with the undiluted product may lead to de-fatting of the skin and irritation.  
**Inhalation:** Unlikely to present any significant hazard at ambient temperature. Excessive exposure to mists caused by atomising systems may cause irritation to eyes and respiratory tract.  
**Ingestion:** Low order of acute toxicity. Ingestion of this product is not regarded as a significant health hazard, likely to arise in normal use. Swallowing of significant amounts may lead to vomiting and diarrhoea.

Acute Toxicity:	Ethoxylated Alcohol	LD50 Oral (rat)	>2000 mg/kg
	Coco Diethanolamide	LD50 Oral (rat)	>5000 mg/kg
	Sodium Alkyl Ethoxy Sulphate	LD50 Oral (rat)	>2000 mg/kg

## our safety data sheet for...



**Product name:** Super Active Washing-Up Liquid  
**Product code:** POTSA005DEL01R / POTSA050DEL01R  
**Page:** 4 of 5

## 12. Ecological Information

### 12.1 Toxicity

Eco-toxicity:	Ethoxylated Alcohol	LC50 96hrs (fish)	1-10 mg/l
		LC50 96 hrs (fish)	2.4 mg/l
	Coco Diethanolamide	EC50 48 hrs (daphnia)	3.2 mg/l
		IC50 72hrs (algae)	3.9 mg/l
Sodium Alkyl Ethoxy Sulphate	EC50 48 hrs (Daphnia)	1-10 mg/kg	
	IC50 72 hrs (algae)	1-10 mg/l	

### 12.2 Persistence and Degradability

The surfactant(s) contained in this preparation complies (comply) with the Biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents, (or are undergoing testing to obtain a derogation within the terms of the directive). Data to support this assertion are held at the disposal of the Competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3 Bio-accumulative potential

Not expected to bio-accumulate.

### 12.4 Mobility in soil

Soluble in water.

### 12.5 Results of PBT and vPvB assessment

No information.

### 12.6 Other adverse effects

Not known.

## 13. Disposal Recommendations

### 13.1 Waste treatment methods

Product should be disposed of via an authorised waste disposal contractor in accordance with all local and national regulations. Dispose of empty containers in accordance with local and national regulations. Advice can be obtained from the Waste Regulation Authority whether special waste regulations apply to this product.

## 14. Transport Information

Product is not classified as hazardous for transport.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling in accordance with the Detergents Directive EC 648/2004:

5% or over but less than 15% anionic surfactants.

Less than 5% non-ionic surfactants.

Preservative.

Perfume.

Safety data sheet according to Regulation (EC) No. 453/2010. This mixture has been classified and labelled in accordance with 1999/45/EC. Classification in accordance with EC 1272/2008 is derived from Annex VII in accordance with Article 61 paragraph 5. 1907/2006/EC - Registration, Evaluation, Authorisation and Restriction of Chemicals and amendments. 98/24/EC - Protection of workers from the risk related to chemical agents at work. Refer to Directive for details of requirements. 1272/2008 - Classification, labelling and packaging of substances and mixtures and amendments. Refer to the relevant EU/national regulation for details of any actions or restrictions required by the above Regulation(s)/Directive(s). The regulatory information provided may not be comprehensive. Other regulations may apply to this product.

### 15.2 Chemical safety assessment

No information at the present time.

## our safety data sheet for...



**Product name:** Super Active Washing-Up Liquid  
**Product code:** POTSA005DEL01R / POTSA050DEL01R  
**Page:** 5 of 5

### 16. Other Information

Classification according to Regulation (EC) No 1272/2008

Hazard Class	Hazard Category	Hazard Statements
Skin Irritation	Category 2	H315
Eye Damage	Category 1	H318

Labelling according to Regulation (EC) No 1272/2008

Hazard Symbols:

Signal word: Danger

Hazard Statements: H315: Causes skin irritation.  
H318: Causes serious eye damage.

Precautionary Statements:

General: P102: Keep out of reach of children.

Prevention: P262: Do not get in eyes, on skin, or on clothing.  
P280: Wear protective gloves/eye protection.

Response: P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313: If eye irritation persists: Get medical advice/attention.

Full text of R-phrases referred to under sections 2 & 3:

R22: Harmful if swallowed.  
R36/38: Irritating to eyes and skin.  
R38: Irritating to the skin.  
R41: Risk of serious damage to eyes.

Full text of H-Statements referred to under sections 2 & 3:

H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.

Training Advice: Normal use of this product shall imply use in accordance with the instructions on the packaging. Users should be trained in good industrial hygiene practise. This data sheet does not constitute an assessment of the workplace risks as required under the provisions of the Health & Safety at Work act and the Control of Substances Hazardous to Health (COSHH).

Do not mix with other chemicals.

Date: 25.07.13

Legal Disclaimer: The information supplied above is based upon the present state of our knowledge of the product at the time of publication. It is given in good faith and no warranty is implied with respect to the specification or quality of the product. The user must satisfy himself that the product is entirely suitable for his purpose.

Revision Number: 3.0